



SPECIALIZED FOR INSULATION MATERIALS CO.

Quality starts from here

**المتخصصة للمواد العازلة
الجودة تبدأ من هنا**

www.simqatar.com



SPECIALIZED FOR INSULATION MATERIALS CO.

Quality starts from here

المتخصصة للمواد العازلة

الجودة تبدأ من هنا

www.simqatar.com

Index

04 About Us

06 Vision

06 Mission

06 Objectives, Values

06 Our Commitments

08 Organization Charts

09 Materials

10 Scope Of Works

11 Injection System

12 Merits & Achievements

13 Projects

18 Clients



About Us

As leading Provider of High Quality Waterproofing systems in Qatar, we take pride in offering the best solutions & systems According to the Requirement. We are dedicated to serving the needs of our customers each and every day. We have been serving Qatar's Construction industry since the year of our inception in 2008.

We are Specialized For Insulation Materials Co. are Specialized in the application of high quality waterproofing systems i.e. Waterproofing's and damp proofing, Cementations Waterproofing, Self-adhesive Membrane, Liquid Membrane waterproofing, Crystalline waterproofing, Torch applied bituminous membrane ,crack injection, Epoxy crack injection resin , Polyurethane crack injection, Turbo seal injection system, Leak Repair, concrete restoration, Concrete Repairs, Concrete Preservation, Concrete Strengthening , Expansion join Sealant, Polysulfide sealant, Polyurethane sealant, silicon sealant, Epoxy joint filler for concrete surfaces, floor coating, Epoxy coating, Anti- carbonation, Polyurethane coating.

Effective planning is crucial to the successful completion any any project. Before commencement of any Project, our team of experts will first assess your goals, followed by critical Path analysis in order to provide you within estimate and timeline of completion. From commencing of the project till it's completion you will be involved in every step of our successful completion of the work.

Cost- Effective Services

Eliminate all the items on your to-do list by calling the experts at Specialized for Insulation Materials Co. waterproofing. you'll be glad you did. We have many years of experience and worked hard to make sure the job is done right while saving your Time, money and aggravation. We'll be there whenever you need us.

Why Choose Specialized For Insulation Materials

- ❖ Advance Waterproofing Techniques.
- ❖ Be Responsive to our client's needs.
- ❖ Listen to our clients Requests.
- ❖ Provide the most Appropriate Recommendations.
- ❖ Offer Alternative Choices and Options.
- ❖ Provide highly trained and skilled labour.
- ❖ Provide Proactive communication to our clients.
- ❖ Honor Price Proposals and committed schedules.
- ❖ Make sure our clients are 100% satisfied with our work.
- ❖ Offer the best value to our customers.

VISION

To deliver the highest Standards of Waterproofing and thermal insulation systems to our customers with the utmost professionalism, trust and reliability.

MISSION

To safely deliver any project, any time, in any environment for the benefit of our customers

Objectives

To create innovative solutions in our operations on utilizing state of the art technology to achieve our goals.

To enable the company to rely on a wider vision in its Performance and a variety of feasible options, from the early concept stage to practical applications.

d. Philosophy

Values

- Uncompromising commitment to Quality, Health, Safety and Environment
- An open relationship with our employees based on mutual trust respect and success
- Transparency, Accountability and Discipline in our business
- Best in class Risk Awareness
- Integrity in all we do.

Our Commitment


Health and Safety is the number one priority in our business. We continue to focus on promoting a positive safety culture aiming to ensure that employees

Organization Chart

SPECIALIZED FOR INSULATION MATERIALS COMPANY

GENERAL MANAGER
AHMED ABD ELMOEZ

EXECUTIVE DIRECTOR
AHMED GINEDY



Materials

Primer

Bituminous liquid base concrete primer (D - 41)

- ◇ ISOLA primer D - 41

Membrane

- ◇ 4mm thick. Polyester reinforced water proofing membrane - KSA

- ◇ SABIT- Plasto4mm Black Saudi Arabia

Insulation

50mm thick. Extruded polystyrene foam (Extra High Duty) of density 32 – 36 Kg/m³.

- ◇ ORIENT INSULATION Factory.
- ◇ Qatar Insulation Factory

Separation layer

- ◇ Thermally Bonded Nonwovens – TERRAM
Grade 500 ,700 ,1000
- ◇ GEO TEXTILE 100gm

Concrete

20N Screed

- ◇ Rabban Readymix ◇ GULF Ready mix
- ◇ Khalid & Hamad Ready mix

Acrylic Mastic

- ◇ MAXI Acrylic Mastic (Mannai Trading)

ROOF COAT To prevent cracks.

- ◇ Maxi Roof Coat (Mannai Trading)

Scope Of Works

Roofs

- ◇ Cleaning & smoothing the surface.
- ◇ Brushing and priming the surface with the specified primer.

Isola Primer

- ◇ Providing and laying 4mm thick. Polyester reinforced water proofing membrane with min.100mm overlaps with the specified membrane.

SABIT – Plasto 4mm Black Saudi Arabia

- ◇ Providing and laying 4mm thick. Polyester reinforced water proofing membrane for upstand and fixing into wall grooves.
- ◇ Water test 72 hours
- ◇ Providing and laying 50mm thick. Extruded polystyrene foam (Extra High Duty) of density 32 – 36 Kg/m3.
- ◇ Providing and laying the specified separation sheet.

GEO TEXTILE 100gm

- ◇ Providing and laying average 100 mm thick. Screed mix in 3 x 3 m bays, with good slopes to rainwater outlets.
- ◇ Minimum 3 days curing after completion of screed.
- ◇ Filling Acrylic mastic (MAXI) in screed expansion joints.
- ◇ Applying of the top fillet after screed and painting it against cracks.

Maxi Roof Coat

Wet Areas

- ◇ Cleaning & smoothing the surface.
- ◇ Brushing and priming the surface with the specified primer.

Isola Primer

- ◇ Providing and laying 4mm thick. Polyester reinforced water proofing membrane with min.100mm overlaps with the specified membrane.

SABIT – Plasto 4mm Black Saudi Arabia

- ◇ Providing and laying 4mm thick. Polyester reinforced water proofing membrane for upstand and fixing into wall grooves.
- ◇ Water test 48 hours.

Foundations & Wall

Cleaning & smoothing the surface.

Brushing and priming the surface with the specified primer.

Isola Primer

Providing and laying 4mm thick. Polyester reinforced water proofing membrane with min.100mm overlaps with the specified membrane.

SABIT – Plasto 4mm Black Saudi Arabia

BITUMAT - Top seal 4mm Black Saudi Arabia

Providing and laying 4mm thick. protection board :

BITUMAT - Bituprotect

Injection System

Supply and apply leak repair using PC crack Injection system for basement using Tampur 150 of Norment UK PU 400 of DR. FIXIT



Certificates

2016/12/27
No 1 of 1

تاريخ الإصدار:
صفحة رقم:

إدارة التسجيل
والتراخيص التجارية

وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

Registration and Commercial
Licenses Department

رخصة تجارية

رقم الرخصة: 66218
رقم الإصدار الرخصة: 2015/01/08
الاسم التجاري: المتخصصة للمواد
المعالجة تاريخ انتهاء الرخصة: 2017/12/30
نوع المنشأة التجارية: مؤسسة فردية
رقم التسجيل التجاري: 19739/2
التسمية التجارية:
بيانات المدير المسؤول:

اسم المدير المسؤول: احمد عبدالعزيم عبدالسار احمد
رقم الإيات: 26281800068
بيانات الموقع:
تصنيف الموقع: تجاري
نوع الموقع: مكتب تجاري
المنطقة: 75 العمرة
الشارع: 950
رقم الشارع: 950
الأشغال التجارية:

جنسية المدير المسؤول: قطر
نموذج ختم المنشأة التجارية

الرقم	اسم النشاط
454250	اعمال تركيب و امداد المواد البلاستيكية (مطابخات المطابخ التجارية)
456100	اعمال تركيب العوازل ضد الماء والحرارة والاصوات

الرقم	اسم النشاط
537700	التجارة في المواد المعازلة للاسقف والبيوتات وغيرها

دولة قطر
وزارة الاقتصاد والتجارة
مدير التسجيل والتراخيص

وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

رقم المنشأة: 11 0967 01
اسم المنشأة: المتخصصه للتوريد التجاري

نوع النشاط: تجاري
نوع النشاط: بطاقتة المنشأة

التاريخ الانتهاء: 2017-12-30

المفوضين بالتوقيع

م	الرقم الشخصي	الاسم	انتهاء الصلاحية	التوقيع
1	26281800068	احمد عبدالعزيم عبدالسار احمد	2017-12-30	

ملاحظة: هذه البطاقتة صالحة فقط بوجود ختم وتوقيع الإدارة عليها

التعليمات:

- يحق للإدارة العامة للجنسية والمنافذ وشؤون الوافدين إلغاء هذه البطاقتة بدون إذن مسبق.
- تصبح هذه البطاقتة ملغاة إذا وجد بها أي كشط أو شطب.
- إشعار الإدارة العامة للجنسية والمنافذ وشؤون الوافدين عند تغيير أو إلغاء التوقيع والختم وتعديل المسمى التجاري.
- في حالة البيع والشراء تسلم للمالك.
- في حالة فقدان البطاقتة يبلغ أقرب مركز للشرطة

الإستعصال الرسمي:
مدير إدارة شؤون الوافدين

Certificates

وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

Registration and Commercial Licenses Department

مستخرج بعض بيانات السجل التجاري

إدارة التسجيل والتراخيص التجارية

2016/12/26

رقم التسجيل الفرعي: 13/01/2018
السعة التجارية: 0
تاريخ انتهاء السجل: قطر
رأس المال: قطر
جنسية المنشأة: قطر

رقم السجل التجاري: 19739/2
المنطقة للمواد المعالمة: 16/04/2008
مؤسسة فردية
نشاط: 0
عدد الشركاء: 0

معلومات الاتصال

أرقام الاتصال: +974

المدراء (المذكورون بالتوقيع)

الاسم	رقم الزايات	رقم السجل	الجنسية	الصفة (المهنية)
احمد عبدالعظيم عبدالعظيم	26281900068		قطر	طياراً - كاتبة ومعلم - مدير

الأنشطة التجارية

الرقم	اسم النشاط	الرقم	اسم النشاط
1 of 2	رقم السجل: 2/19739		

شهادة غرفة تجارة وصناعة قطر بان المنشأة المذكورة اعلاه مسجلة
Qatar Chamber certifies that the above mentioned establishment has been registered

وزارة الاقتصاد والتجارة
Ministry of Economy and Commerce

Registration and Commercial Licenses Department

مستخرج بعض بيانات السجل التجاري

إدارة التسجيل والتراخيص التجارية

التجارة في المواد المعالمة للاسقف و الارضيات وغيرها	537700
---	--------

اعمال تركيب و تمدد المواد المعالمة (مقاومات المائل التجاري)	456250
اعمال تركيب العوازل ضد المياه والحرارة والصوت	456100

المدراء (المذكورون بالتوقيع)

الاسم	رقم الزايات	رقم السجل	الجنسية	الصفة (المهنية)
احمد عبدالعظيم عبدالعظيم	26281900068		قطر	طياراً - كاتبة ومعلم - مدير

الأنشطة التجارية

الرقم	اسم النشاط	الرقم	اسم النشاط
2 of 2	رقم السجل: 2/19739		

شهادة غرفة تجارة وصناعة قطر بان المنشأة المذكورة اعلاه مسجلة
Qatar Chamber certifies that the above mentioned establishment has been registered

Certificates



16 March, 2017

REF NO: TLM – Al-Radi / Sultan Rashed Al Kuwari / Atak / 01-17

MS. : Al-Radi Trading and Contracting Co. (W.L.L)
P.O. BOX:23304, DOHA -QATAR

PROJECT : PROPOSED (B+G+M+7) SHOPS and RESIDENTIAL BUILDING
@ Bin Mahmood, DOHA

OWNER : MR. SULTAN RASHED AL-KAWARI

SUBJECT : MATERIAL & SUPPLIER APPROVAL

Dear Sir,

We hereby "APPROVED" the supplier and materials you submitted to us dated 14 March 2017.

To wit: Supplier _____ Specialized for Insulation Materials Co.
Materials _____ a) Premierflex 2000 SBS 4mm thick modified Water
Proofing Membrane w/ 200 Gsm Polyester
B) Bitutect 111 4mm thick Bituminous Protection Board

For your information, reference and guidance especially during the time of its delivery more particularly for QA/QC purposes.

Thank you,

Atak Engineering Consulting
For Engr. Chito R. Gumiran

Cc: Engr. Mohammad & Abdur-Rahman (Proj. Manager & Site Engr.)
File

الهاتفون: ٤٤١١٦٤٧٧ - ٤٤١١٧١٦١ (+٩٧٤) فاكس: ٤٤١١٤٨٧٩ (+٩٧٤) ص.ب: ١٧١٤٢ - الدوحة - قطر
Tel.: (+974) 44113477 - 44117881 - Fax: (+974) 44114879 - P.O.Box: 17442 - Doha - Qatar

Al Radi Trading & Cont.Co. (W.L.L)

A. T. C.
Tel. : 44626001
P. O. Box :23304
DOHA - QATAR
E-mail:alradi_com@yahoo.com



شركة الراضي للتجارة والمقاولات (م.م)

أ. ت. ج.
الهاتفون: ٤٤٦٢٦٠٠١
ص.ب: ٢٣٣٠٤
الدوحة - قطر
البريد الإلكتروني: alradi_com@yahoo.com

MATERIAL SUBMITTAL

Date	14/03/2017	
Project Title	Commercial Shops & Residential Building (B + G + M + 7)	
Contractor	Al-Radi Trading Contracting co.	
Contract No.	88	
Sub-Contractor	Specialized for Insulation Materials Co.	
Shop	Material Submittal	
Dwg Description		
B.O.Q / Dwg Ref.	ST - 101	Spec. Ref.: WATER PROOFING
Manufacturer		Country of Origin: W.L.L
Supplier Name	Specialized for Insulation Materials Co.	Agent Name: BITUMAT
Literature	YES	Sample: YES
Contractor Signature		Stamp:

Consultants Comments:	
Architectural:	
A	Name & Signature
B	Date
C	
D	
E	
F	
G	
A	Name & Signature
B	Date
C	
D	
E	
F	
G	
A	Name & Signature
B	Date
C	
D	
E	
F	
G	

Client's Signature (Acknowledgment & Approval)		Contractor's Receipt	
Signature:	Date:	Signature: Eng. HOSAM	Date: 14/03/2017

A. Approved B. Approved as Noted C. Revise & Resubmit D. Rejected

الهاتفون: ٤٤٦٢٦٠٠٢ (+٩٧٤) ص.ب: ٢٣٣٠٤
Fax: (+974) 44626002 - C.R.No.: 25729

Certificates

المشرفة الهندسية
للإنشاء والتعمير
Construction & Improvement
Consultants
MEMBER OF DORRA GROUP

PROPOSED MOSQUE M117A WITH EID PRAYING QURA'AN CENTRE-A & IMAM HOUSE/H-7

Material Submittal طلب اعتماد مواد بناء

Submittal Date: 08/11/2016 التاريخ: 2016/11/08
 Submittal No.: 003 الرقم: 003

Project : AWQ/12/15 MOSQUE (M117A) اسم المشروع : مسجد (M117A) AWQ/12/15
 Location : RAWDAT AL HAMAMA (ZONE NO. 70) الموقع : روضة الحميمة (رقم المنطقة 70)
 Owner : MINISTRY OF AWQAF المالك : وزارة الأوقاف والشؤون الإسلامية

Start Date تاريخ بدء المشروع :
 Finish Date تاريخ انتهاء المشروع :

SUB-CONTRACTOR المتخصص للمواد المعزلة					
مدة التسليم Del. Period	الوكيل المحلي Local Agent	بلد المنشأ Origin	Item Ref	وصف مواد البناء التشطيب Material Description	م No.
	شركة عراز قطر K.S.A السعودية	U.A.E		Blumen primer awazl	1
	مصنع قطر للحواجز (الكاغ) QATAR	QATAR		Membrane premier flex 200GSM 4mm jsbs	2
				Foam (35 kg/m3)	3
	المناجي Qatar	السعودية K.S.A		(Alyaf A 241) replaced with Po.we 1000	4
	AL Rabban Ready-mix K.S.A السعودية	DOHA		Screed 7 cm - AVR- min.40 mm.	5
	K.S.A السعودية	K.S.A السعودية		Mastic - for exp. Joint	6
	K.S.A السعودية	K.S.A السعودية		Roof coating for skirting	7

Enclosed Informations المعلومات المرفقة

Samples عينات
 Shop Drawings رسومات
 Literature معلومات مكتوبة

Sample Required مطلوب عينة
 Approved with Notes موافق مع ملاحظات
 Information Required مطلوب معلومات إضافية
 Rejected مرفوض
 Revise&Resubmit إعادة التسليم

Consultant's Remarks ملاحظات الاستشاري

1) العيّنات والمعلومات الضميمة المقدم لطلبات عزل الجدران الخارجية بالأسفل مطابقة للمواصفات الفنية للستريج ورسوماته من قبل الاستشاري
 2) يتم التسليم مع مواصفات البناء للطلب رقم 003
 وفقاً للمهندس المشرف

Contractor's Stamp & Signature ختم وتوقيع المقاول
Consultant's Signature توقيع الاستشاري

Date/التاريخ: 08/11/2016
 Date/التاريخ: 2016/11/08

أعيان الشرق للإنشاءات
وزارة الأوقاف والشؤون الإسلامية

Material Submittal طلب اعتماد مواد بناء

Date: / / 2017 التاريخ: 2017 / /
 Ref. No. : رقم الطلب :
 Project : اسم المشروع :
 Location : الموقع :
 Owner : المالك :
 Start Date / / 20..... تاريخ بدء المشروع :
 Finish Date / / 20..... تاريخ انتهاء المشروع : 2016 / 11 / 08

مدة التسليم Del. Period	الوكيل المحلي Local Agent	بلد المنشأ Origin	Item Ref	وصف مواد البناء التشطيب Material Description	م No.
	Specialized	Bahrain		ISOLA 314 Primer	1
	K.S.A	K.S.A		membrane premier FLEX 200 g/m2	2
	QATAR	QATAR		Foam (35 kg/m3)	3
				TECH SHEET	4
	Kabbanh K.S.A	Qatar		2c.NL.gabba screed	5
	K.S.A	K.S.A		mastic	6
	K.S.A	K.S.A		Roof coating	7
	QATAR	QATAR		Waterproof Polylithesheet	8

Enclosed Informations المعلومات المرفقة

Samples عينات
 Shop Drawings رسومات
 Literature معلومات مكتوبة

Consultant's Remarks ملاحظات الاستشاري

يتمت الموافقة على العيّنات والمعلومات الضميمة المقدم لطلبات عزل الجدران الخارجية بالأسفل مطابقة للمواصفات الفنية للستريج ورسوماته من قبل الاستشاري
 وفقاً للمهندس المشرف


Contractor's Stamp & Signature ختم وتوقيع المقاول
Consultant's Signature توقيع الاستشاري

Date/التاريخ: 1 / 3 / 2017
 Date/التاريخ: 2016 / 11 / 08

Distribution
 Original: ✓ Engineer's Rep.
 Copies: ✓ Contractor
 ✓ Project Coordinator
 ✓ Project File

الأصل : ✓ مایل المهندس / مدير المشروع .
 النسخ : ✓ المقاول .
 ✓ منسق المشروع .
 ✓ ملف المشروع .


Merits and Achievements




United Consultants
Architectural, Structural, Mechanical & Electrical Consultants

الاتحاد للاستشارات
الهندسية
استشاريون معماريون - مهندسون - كهربائيون - ميكانيكيون

MATERIAL SUBMITTAL

Date : 28/11/2015	
Project Title : G+M+3 Commerical Building	
Contractor : SHOBAK MODEREN CONSTRUCTION	
Contract No. :	
Sub-Contractor :	
Shop dwgs. Description : Material Submittal for bitumen membrane	
B.O.G / Dwg Ref. :	Spec. Ref.:
Manufacturer : الشركة السعودية لصناعة البيتومين المحدودة	Country of Origin: السعودية
Supplier Name : الشركة السعودية لصناعة البيتومين المحدودة	Agent Name: الشركة السعودية لصناعة البيتومين المحدودة
Literature :	Sample: attached
Contractor Signature : 	Stamp:

Consultants Comments:


Architectural:	A Name & Signature
	B
	C
	D
	E Date
	F
	G
Structural:	A Name & Signature
<p><i>Approved & Installation by the method of system as show in h/c of Alyak P181</i></p>	B <i>Alyak Elkaki</i>
	C 
	D
	E Date
	F 28/11/2015
	G
Mechanical:	A Name & Signature
	B
	C
	D
	E Date
	F
	G
Electrical:	A Name & Signature
	B
	C
	D
	E Date
	F
	G


Client's Signature (Acknowledgment & Approval)		Contractor's Receipt	
Signature:	Date:	Signature:	Date:

A. Approved B. Approved as Noted C. Revise & Resubmit D. Rejected
 E. Additional Info. Required F. Samples Required G. Test Required

Approval by Consultants/Client shall not relieve the Contractor from this obligations under the Contract, the Contractor shall be solely responsible for the soundness and correctness of the submitted materials and/or documents.

Tel. 4315312, 4315313, 4315314 - Fax: 4315311 4315311 : فاكس - 4315312 -3 -4 : تيلون
 P. O. Box : 9180 Doha - Qatar Email : uc@consultant.com ص.ب : 9180 - الدوحة - قطر





TECHNICAL INFORMATION

CAT. No. SLT-02-0301

BITUPRIMER - S

High Penetration Asphalt Primer

BITUPRIMER-S is a low viscosity asphalt blended with solvent designed as a penetrating sealer / prime coat over cast concrete and masonry. It is used prior to application of heavy-bodied asphalt compound such as BITUPAINT and ISOMASTIC Waterproofing range for use above or below ground level to protect concrete structures against ingress of water. BITUPRIMER-S can also be used in conjunction with self adhesive or torch applied rolled, prefabricated bituminous sheet-type waterproofing membrane. BITUPRIMER-S works effectively on porous, dry surface.

DIRECTIONS FOR USE

All surfaces to be waterproofed should be structurally sound, clean, dry, and free from loose deposits, coating, curing compounds, dust, and foreign matters. Oil or grease should be cleaned with Chemical Degreaser.

Prime surface with BITUPRIMER-S applied at the rate of 5 - 5.5 square meters per liter. One application is sufficient. BITUPRIMER-S can be brush or spray-applied.

Allow to dry thoroughly (at least 24 hours) prior to application of bitumen or sheet membrane waterproofing.

PACKING/COVERAGE

BITUPRIMER-S is packed in 20 liter pail and will approximately cover 100 -110 square meters.

SPECIFICATION

BITUPRIMER-S conforms with the requirements of ASTM specification D 41.

HEALTH/SAFETY



BITUPRIMER-S contains flammable solvent. Keep container away from heat, open flame, and other ignition sources. May cause skin irritation. If accidentally splashed on the skin, wash with soap and water. Use rubber hand gloves and coveralls. Refer to MSDS for more safety instructions.

SHELF LIFE

Two (2) years minimum when stored in original unopened container inside warehouse.




Projects













Our Clients




Our Clients




Thank You!

www.simqatar.com





+974 4469 1438  +974 4469 1433  info@simqatar.com

 [simqatar](#)  [simqatar](#)  P.O Box : 8640 , Doha - Qatar